

Do you know, how excellent our Cost Parameter Request (CPR) is?

Overview of the CPR – Version A6
User Manual for internal and external use

Herzogenaurach 2022

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
LO	Overheads	35
L1	Terms of Payment and Delivery	38
L2	Total Price	41
L3	Remarks & Degree of Filling	43
L4	Formulary	46

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
LO	Overheads	35
L1	Terms of Payment and Delivery	38
12	Total Price	41
13	Remarks & Degree of Filling	43
L4	Formulary	46

Benefits of the CPR

Advanced Working Environment

With our CPR, we create **cost transparency** which enables us to understand every cost driver that factors into the total price of a commodity. In this way, we can assess cost deviations better and provide a more accurate feedback on the supplier's quotation.



Competitivenes

The Cost Parameter Request helps to detect potentials where costs can be saved. Therefore, the CPR enables us to find smart solutions to **optimize** the **costs** in **cooperation** with the suppliers.

We also find cost deviations and give detailed feedback on global base to enlarge the supplier's competitiveness.


With competitive costs the suppliers can create **sales growth** with SCHAEFFLER and others.

Consulting

With the help of the CPR, we can detect weak points to improve technology capabilities and concepts in a sustainable manner.

Benefits of the Cost Parameter Request	3
General Explanations	5
Structure of the CPR	8
Header	10
Material Costs	14
Manufacturing Costs	19
Setup Costs	25
Product Specific Allocation	29
One-time Payments	32
Overheads	35
Terms of Payment and Delivery	38
Total Price	41
Remarks & Degree of Filling	43
Formulary	46
	General Explanations Structure of the CPR Header Material Costs Manufacturing Costs Setup Costs Product Specific Allocation One-time Payments Overheads Terms of Payment and Delivery Total Price Remarks & Degree of Filling

Remarks





Note:

- The data provided in the CPR will be handled absolutely confidential and also corresponds with the non-disclosure agreements with all our business partners.
- Please send the completed CPR-sheet back as an Excel file. DO NOT convert it to PDF, JPG or other formats.
- On the pages where there is an "Overview" button, click on it to get to the general overview of the CPR.
- Green words, that are underlined, are links. Click on them to get to the respective page they are referring to.

Colors and Buttons

Colors:

These cells contain general data queries and can not be edited.

In the headlines, the **requested information** is described. Headlines
can not be edited.

These cells need to be filled out by the supplier.

These cells are **calculated automatically** based on the data given by the supplier.

Subtotals are calculated automatically in these cells.

These cells contain total prices.

Buttons:


new row

By clicking this button **additional rows** can be added (e.g. if the supplier wants to enter more positions than there are rows in the CPR).

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
LO	Overheads	35
L1	Terms of Payment and Delivery	38
L2	Total Price	41
L3	Remarks & Degree of Filling	43
L4	Formulary	46

General Structure

Click on the headlines for further information.



Remarks

PUBLIC

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
LO	Overheads	35
L1	Terms of Payment and Delivery	38
L2	Total Price	41
L3	Remarks & Degree of Filling	43
L4	Formulary	46

Header



SCHAEFFLER

SCHAEFFLER

Cost Parameter Request (CPR Version A6 01.02.2022)

Cost Parameter Request (CPR_version A6_01.02.2022)	
Part No. / Drawing No.:	
Part Name:	
Peak-Volume:	
Incoterms:	

Language:	English			
Supplier Name:				
Manufacturing Location: [Country / City]		/		
Production Hours per Year:				
Production nours per fear:				
Currency / Quantity Unit in: [pcs]	EUR	/	100	

Category: M014 Rolled Rings

Date:
Supplier Contact:
Schaeffler Contact:
Price Reduction Steps: -3x1-2x1-2x

These cells contain general data queries and can not be edited.

These cells need to be filled out by the supplier.

Header





Name	Remarks
Language	Select language of CPR headlines (available languages: German, English, Spanish, Chinese, Korean, Russian)
Category	Drop-down menu, select category name
Part No. / Drawing No.	Internal ID of the part, based on respective drawing index (drawing number)
Part Name	Description of the requested component (see drawing)
Peak Volume	Requested maximum annual quantity at peak
Incoterms	Drop-down menu, International commercial terms Select between FCA (Free Carrier), DAP (Delivered At Place) and DDP (Delivered Duty Paid)
	If you select FCA, please insert the location of the forwarder. If you select DAP, please insert the Schaeffler location from RFQ. If you select DDP, please insert either the Schaeffler location from the RfQ or Location Consignment-Stock (if applicable).

Header





Name	Remarks
Supplier Name	Legal company name of supplier
Manufacturing Location	Planned manufacturing location (Country and City) of the requested part Additionally, please insert receiving plant at Schaeffler.
Production Hours per Year	Production hours per year reflect your available gross working hours in your company
Currency / Quantity Unit in: [pcs]	All common currencies are available Quantities: 1, 100 and 1000 -> Attention: Mostly used for sum cells, but not for the input cells
Date	Date of issue of the CPR
Supplier Contact	First name and surname of the responsible contact person at the supplier
Schaeffler Contact	First name and surname of the responsible contact person at Schaeffler
Price Reduction Steps	The total price refers to the peak volume / - year after reduction steps (default value -3%, -2%, -2% can be overwritten according to closed agreement)

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
10	Overheads	35
.1	Terms of Payment and Delivery	38
.2	Total Price	41
.3	Remarks & Degree of Filling	43
.4	Formulary	46

Material Costs



Material Costs

Pos.	Material Designation [Raw Material / Purchased Parts /	Manufacturer/Raw	Substance-/Material-/	Dimension	D	Reim	bursement	Net Weight per Part	Gross Weight per Part	Materia	al Price	Purchased Parts / Ex	ternal Processes	Material	Scrap Rate	Scrap Cost	Material Cost											
Pos.	External Processes]	Material Supplier	Part-ID	(LxWxH, Ø,) in mm	Procurement Type	[ues/po]	[yes/no]	[yes/no]	[yes/no]	[yes/no]	Pos. [e.g.: M1]	[kg]	P		[ka]		[ka]	P		[kg]	[Base] [EUR/kg]	[Surcharges] [EUR/kg]	[Quantity] [pcs]	[Price] [EUR/pcs]	Overhead [%]	[%]	(EUR)	[EUR/100 pos]
M1																0,0000	0,000,0											
M2																0,0000	0,0000											
М3																0,0000	0,000,0											
M4																0,0000	0,0000											
M5																0,0000	0,0000											
	1											Subtotal Material Costs	[EUR/100 pcs];				0,0000											

 Subtotal Material Costs [EUR/100 pcs]:
 0,0000

 Subtotal Material Scrap Costs [EUR/100 pcs]:
 0,0000

In the headlines, the **requested information** is described. They can
not be edited.

These cells need to be filled out by the supplier.

These cells are **calculated automatically** based on the data given by the supplier.

The **subtotals** are calculated automatically and separated by material- and scrap costs.

Material Costs





Name	Remarks							
Material Designation	Material includes: - Substances / raw materials - External purchased parts - External (outsourced) processes							
Manufacturer / Raw Material Supplier	Name of manufacturer of the respective ma	terial designation						
Substance- / Material- / Part-ID ID or specification of the respective material design								
Dimension [L×W×H, Ø,] in mm	Dimension of the given component in mm. This cell is for information only.							
Procurement Type	Select the type of procurement for the respective material designation: - Purchase (Raw Material) - Purchase (Part / Component) - Purchase (External Process Step) - Provided (Raw Material) - Provided (Part / Component) - Inhouse Production (Part / Component)							

Material Costs





Remarks				
By selecting "yes" the calculated amount is subtracted from the total material costs (Enter yield / scrap in separate line and refer to the associated position of raw-material).				
Gross or Net Weight and Material Price are used to calculate the deductible amount (see formula).				
Net remaining amount of material – after deduction of waste, scrap, irretrievable losses, etc.				
Net weight is also mentioned in drawings.				
Gross amount of material – before deduction of waste, scrap, irretrievable losses, etc.				
Base: Direct costs of material				
Surcharges: Material costs which are not included in the base price (e.g., scrap and alloy surcharges) – these cost will be summarized in a separate line under the total price of the CPR.				
Quantity: Please enter the quantity of purchased parts / external processes.				
Price: Please enter the price per piece of the respective purchased part / external process (see formula).				

Material Costs





Name	Remarks
Material Overhead [%]	Costs attributable to purchasing, receiving, handling, storing and delivering materials used in assembly or production process
Scrap Rate [%]	Percentage of incurring scrap of the respective material designation This cell is for information purposes only.
Scrap Cost	Material scrap costs of the respective material (see formula)
Material Cost	Total material cost of the given component per position in the selected quantity unit (see formula)
Subtotal Material Costs	Sum of the costs of all materials in the selected quantity unit
Subtotal Material Scrap Costs	Sum of material scrap costs in the selected quantity unit

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
.0	Overheads	35
.1	Terms of Payment and Delivery	38
.2	Total Price	41
.3	Remarks & Degree of Filling	43
.4	Formulary	46

Manufacturing Costs



Manufacturing Costs

Pos	3.	Manufacturing Steps [Designation]	Material* [Material Cost Pos.] [e.g.: M1]	Equipment [Designation]	Cycle time [sec./Parts per Cycle]	Parts per Cycle [pcs]	OEE [%] information only	Working System Invest [EUR]	Working System Hourly Rate [EUR/h]	Working System Cost per Part [EUR]	Direct Labor Hourly Rate [EUR/h]	Headcount at Working System [%]	Labor Cost per Part [EUR]	Residual Manufacturing Overhead [%]	Scrap Rate [%]	Scrap Cost [EUR]	Manufacturing Step Cost [EUR/100 pcs]
1										0,0000			0,0000			0,0000	0,0000
2										0,0000			0,0000			0,0000	0,0000
3										0,0000			0,0000			0,0000	0,0000
4										0,0000			0,0000			0,0000	0,0000
5										0,0000			0,0000			0,0000	0,0000
	Cultatal Manufasturium Casta ITIID/00 modi																

5 0,0000 0,000

In the headlines, the **requested information** is described. They can
not be edited.

These cells need to be filled out by the supplier.

These cells are calculated automatically based on the data given by the supplier.

The **subtotals** are calculated automatically and separated by manufacturing- and scrap costs.

Manufacturing Costs



Name	Remarks
Manufacturing Steps	Select a manufacturing step by activating the drop-down menu. On the second page of the Excel spreadsheet, you can see an overview of all available manufacturing steps. You can also find this overview on the next page of this manual.
	If you can not find the proper manufacturing step, choose "others/miscellaneous". In this case, it is essential to give further explanations in the "Equipment" cell.
Material	Link of the respective material to the process manufacturing step (e.g., assembly M1, M3, M5)
Equipment	Designation (e.g., Brand / Type) of the machine or equipment (ONLY in English) used in the respective manufacturing step
Circle time	Please insert information about the duration of one cycle.
Cycle time	Cycle time correlates with the cell "Parts per cycle".
	Number of parts that are manufactured in one cycle
Parts per Cycle	It is relevant for the calculation of Working System Cost per Part.
	(see formula)

Manufacturing Costs – Overview of the manufacturing Steps

Here you can find all dropdown options for manufacturing steps in the CPR. They are also mentioned on a extra sheet in the CPR.

Α	D	Н	N
alpha-v-check	debinding	handling	nitriding
annealing	deburring	HAR / hot air riveting	0
anti-corrosion	deep drawing	hardening	oiling
AOI/ automated optical inspection		heat- / force-set test	others /
arc forming	demagnetize	heat treatment	outboun
array for spray	dephosphating	high pressure washing	overmol
array on fixture	detensioning	hobbing	Р
assembling	disassembling	honing	pack
В	DMC marking	hot bar soldering	packagir
balancing	drilling	hot rolling	PCB de
bending	drying	hot setting	phospha
blanking	durability test	hot staking	pickling
blending	E	hydrogen decrepitation	plating
bonding	e-coating	1	polishing
boring	eddy current	IC test / integrated circuit test	post cur
broaching	EOL test / end of line test		potting
brushing	F	induction heating	powder
С	fine cutting	injection	preformi
calibration	finishing	inspection	press-fit
carburizing	forging	intermediate test	pressing
casting	forming	J	pressure
chamfering	friction welding	jet-milling	pretreatr
cleaning	functional test	L	Q
coating	G	laser marking	quench -
coiling	gating removal	leakage test	Ŕ
compacting		Gliquid dispensing, application (seal, paste)	raw mat
condensation	gearing	loading, feeding	reaming
conservation	glue	M	reflow ov
cooling	green machining	machining	rolling
cooling lubricant system	grinding ID	magnetic property test	· ·
crimping	grinding OD	magnetizing	
curing		marking	
cutting		material preparation and compounding	
-		measuring	
		mechanical treatment	
		melting	
		micro peening	
		milling	
		mixing	
		molding	
		MPI	

PUBLIC

I	s	V
itriding	sawing	varnishing
)	selective soldering	vulcanization
iling	setting	W
thers / miscellaneous	shearing	washing
utbound logistics	shot blasting	welding
vermolding	shot peening	winding
•	sintering	X
ack	sizing	x-ray
ackaging	skiving	
CB depaneling	SMT / surface mounted technology	
hosphating	software flashing	
ickling	solder paste printing	
lating	soldering	
olishing	sorting	
ost curing	spinning	
otting	spot welding	
owder coating	spraying	
reforming	sputtering / PVD	
ress-fit assembly	stamping	
ressing	storage of powder	
ressure test	straightening	
retreatment	stripe casting, flakes production	
Q	surface treatment	
uench + tempering	Т	
R	tempering	
aw material inspection	testing	
eaming	transform	
eflow oven	transport	
olling	trimming	
	tumbling	
	turning	
	U	
	ultrasonic cleaning	
	ultrasonic welding	

Manufacturing Costs





Vorking System Invest	Remarks					
OEE [%] information only	OEE means "Overall Equipment Effectiveness". It identifies the percentage of manufacturing time that is truly productive.					
Working System Invest	Acquisition cost of the working system					
Working System Hourly Rate	Costs which a machine causes during one hour of operation correlated with utilization losses (including imputed depreciation and interest, cost of maintenance and insurance, space and energy costs of the working system and auxiliary and operating materials)					
Working System Cost per Part	Machine costs per piece (see formula)					
Direct Labor Hourly Rate	The labor costs (including labor burden) per hour for workers (correlated with labor utilization losses)					

Manufacturing Costs





Name	Remarks
Headcount at Working System	Headcount at Working System in % (see formula)
Labor Cost per Part	Labor cost per piece <u>(see formula)</u>
Residual Manufacturing Overhead	Residual Manufacturing Overheads include all manufacturing costs that cannot be directly allocated (including e.g., indirect labor, general equipment and auxiliary areas, as well as indirect materials and auxiliary and operating supplies).
Scrap Rate	Percentage of scrap incurring at the respective manufacturing step This cell is for information purposes only.
Scrap Cost	Cost of scrap incurring at the respective manufacturing step. Scrap costs will be accumulated in subtotal manufacturing scrap cost. (see formula)
Manufacturing Step Cost	Total cost of the respective manufacturing step per position in the selected quantity unit (see formula)
Subtotal Manufacturing Costs	Sum of the costs of all manufacturing steps in the selected quantity unit
Subtotal Manufacturing Scrap Costs	Sum of the scrap costs of all manufacturing steps in the selected quantity unit
	All rights reserved to Schaeffler Technologies AG & Co. KG. in particular in case

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
10	Overheads	35
.1	Terms of Payment and Delivery	38
.2	Total Price	41
.3	Remarks & Degree of Filling	43
.4	Formulary	46

Setup Costs



Setup Costs

Pos	Manufacturing Steps [Designation]	Manufacturing Lot Size [pcs]	Setup Time [h]	Setup Labor Hourly Rate [EUR/h]	Working System Hourly Rate [EUR/h]	Setup Cost [EUR]	Residual Manufacturing Overhead [%]	Setup Cost [EUR/100 pcs]
1						0,0000		0,0000
2						0,0000		0,0000
3						0,0000		0,0000
4						0,0000		0,0000
5						0,0000		0,0000

Subtotal Setup Costs [EUR/100 pcs]:	0,0000
Total Scrap Costs [EUR/100 pcs]:	0,0000
Subtotal Production Costs [EUR/100 pcs]:	0,0000

In the headlines, the **requested information** is described. They can
not be edited.

These cells need to be filled out by the supplier.

These cells are **calculated automatically** based on the data given by the supplier.

The **subtotals** are calculated automatically and separated by setup-, scrap- and production costs.

Setup Costs



Name	Remarks			
	Select a manufacturing step by activating the drop-down menu. On the second page of the Excel spreadsheet, you can find an overview of all available manufacturing steps.			
Manufacturing Steps	If you can not find the proper manufacturing step, choose "others/miscellaneous".			
	Note: The manufacturing steps in the "Setup Costs" section refer to the respective manufacturing steps in the "Manufacturing Costs" section (see p. 22).			
Manufacturing Lot Size	Number of pieces per manufacturing lot			
Setup Time	The setup time includes all efforts of the setup / retooling process of the working system. The setup time must be filled in absolute hours.			
Setup Labor Hourly Rate	The labor costs (including labor burden) per hour for workers during setup (correlated with labor utilization losses)			
Working System Hourly Rate	Costs which a machine causes during one hour of operation correlated with utilization losses (including imputed depreciation and interest, cost of maintenance and insurance, space cost of the working system and auxiliary and operating materials)			

Setup Costs



Name	Remarks
Setup Cost (without Overheads)	Absolute setup costs including all costs caused by the setup / retooling processes of the working system (e.g., labor- and working system costs). (see formula)
Residual Manufacturing Overhead	Residual Manufacturing Overheads include all manufacturing costs that cannot be directly allocated (including e.g., indirect labor, general equipment and auxiliary areas, as well as indirect materials and auxiliary and operating supplies).
Setup Cost	Setup costs per position in the selected quantity unit (see formula)
Subtotal Setup Cost	Sum of the setup costs of all manufacturing steps in the selected quantity unit
Total Scrap Costs	Sum of material scrap costs and manufacturing scrap costs in the selected quantity unit
Subtotal Production Costs	Sum of material costs, manufacturing costs, setup costs and total scrap costs in the selected quantity unit

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
10	Overheads	35
.1	Terms of Payment and Delivery	38
.2	Total Price	41
.3	Remarks & Degree of Filling	43
.4	Formulary	46

Product Specific Allocation



Product Specific Allocation

	act openio Anocation				
Pos.	Designation [e.g. Tooling, Devices, Research & Development, Validation, etc.]	Manufacturing Steps [Designation]	Cost [EUR]	Allocation Quantity [1n]	Allocation Cost [EUR/100 pcs]
1					0,0000
2					0,0000
3					0,0000
4					0,0000
5					0,0000
6					0,0000
7					0,0000
8					0,0000
9					0,0000
		Subtotal Allocation	Costs [EUR/100pcs]:		0,0000

In the headlines, the **requested information** is described. They can
not be edited.


These cells need to be filled out by the supplier.

These cells are **calculated automatically** based on the data given by the supplier.

The **subtotals** are calculated automatically.

Product Specific Allocation





Name	Remarks			
Designation	Designation of costs to be allocated in piece price (ONLY in English)			
	Select the manufacturing step for which the respective tool / device, etc. is needed.			
Manufacturing Steps	If you can not find the proper manufacturing step, choose "others/miscellaneous".			
	Note: The manufacturing steps in the "Product Specific Allocation" section refer to the respective manufacturing steps in the "Manufacturing Costs" section (see p. 22).			
Cost	Costs of the respective designation			
Allocation Quantity	Number of parts over which the costs for the respective designation are allocated.			
Allocation Cost	This field shows the allocation costs for the selected price quantity unit. (see formula)			
Subtotal Allocation Costs	Sum of all allocation cost parameters in the selected quantity unit . This number will be considered in the Overhead cost's calculation.			

Benefits of the Cost Parameter Request	3
General Explanations	5
Structure of the CPR	8
Header	10
Material Costs	14
Manufacturing Costs	19
Setup Costs	25
Product Specific Allocation	29
One-time Payments	32
Overheads	35
Terms of Payment and Delivery	38
Total Price	41
Remarks & Degree of Filling	43
Formulary	46
	General Explanations Structure of the CPR Header Material Costs Manufacturing Costs Setup Costs Product Specific Allocation One-time Payments Overheads Terms of Payment and Delivery Total Price Remarks & Degree of Filling

One-time Payments



One-time Payments

One time i dyments					
Pos.	Designation [e.g., Tooling, Devices, Research & Development, Validation, etc.]	Lifetime in Cycles [pcs]	Cost [EUR]		
1					
2					
3					
4					
5					
6					
7					
	Total One-time Payments [EUR]: 0,00				

In the headlines, the **requested information** is described. They can
not be edited.

These cells need to be filled out by the supplier.

These cells contain **total prices**.

One-time payments





Name	Remarks
Designation	Exact designation of costs to be paid up front (ONLY in English)
Lifetime in Cycles	Lifetime of the respective tool and / or device, etc. in cycles
Cost	Costs of the respective tool, device, etc.
Total One-time Payments	Sum of all one-time payments

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
LO	Overheads	35
L1	Terms of Payment and Delivery	38
12	Total Price	41
13	Remarks & Degree of Filling	43
L4	Formulary	46

Overheads



Overheads

SG&A		Profit on Material		Profit on Value Add		Allocation Costs	
Base 1	%	Base 2	%	Base 3	%	[Allocation Cost/100 pcs]	
0,0000		0,0000		0,0000		0,0000	
[EUR / 1		[EUR / 100			/ 100 pcs]	[EUR / 100 pcs]	
ubtotal Overhead Costs [EUR/100 pcs]: 0,0000							

In the headlines, the **requested information** is described. They can
not be edited.

These cells need to be filled out by the supplier.

These cells are **calculated automatically** based on the data given by the supplier.

The **subtotals** are calculated automatically.

Overheads





Name	The sales, general and administration costs are expressed as a percentage of production costs. For example, they include costs for central expenses such as business function costs and costs of distribution or storage of finished goods. (see formula)		
SG&A			
Profit on Material	Percentage of profit on total material costs without the sum of surcharges (see formula)		
Profit on Value Add	Percentage of profit on the sum of manufacturing costs and setup costs (see formula)		
Allocation Costs	The sum of allocation costs appears here. In the second line, the selected price unit and quantity are shown.		
Subtotal Overhead Costs	Sum of all overhead cost parameters in the selected quantity unit		

Benefits of the Cost Parameter Request	3
General Explanations	5
Structure of the CPR	8
Header	10
Material Costs	14
Manufacturing Costs	19
Setup Costs	25
Product Specific Allocation	29
One-time Payments	32
Overheads	35
Terms of Payment and Delivery	38
Total Price	41
Remarks & Degree of Filling	43
Formulary	46
	General Explanations Structure of the CPR Header Material Costs Manufacturing Costs Setup Costs Product Specific Allocation One-time Payments Overheads Terms of Payment and Delivery Total Price Remarks & Degree of Filling

Terms of Payment and Delivery



Terms of Payment and Delivery

Packaging [EUR/100 pcs]	Transport [EUR/100 pcs]	Duty Base %		Payment Terms [days] [EUR / 100 pcs]
			0,00%	
Subtotal Terms of Payment and Delivery Costs [EUR/100 pcs]:			0,0000	

In the headlines, the **requested information** is described. They can
not be edited.

These cells need to be filled out by the supplier.

These cells are calculated automatically based on the data given by the supplier.

The **subtotals** are calculated automatically.

Terms of Payment and Delivery





Name	Remarks			
Packaging	Costs of packaging material for the selected quantity unit (see formula)			
Transport	Costs of logistics for the selected quantity unit according to Incoterms (see formula)			
Duty	All efforts of customs & duty. Please state the base and the costs in the selected quantity unit, the percentage will be calculated automatically. (see formula)			
Payment Terms	Conditions of Payment, please select payment days per drop-down menu in the first line. In the second line, please enter the cost.			
Subtotal Terms of Payment and Delivery Costs	Subtotal of all terms of payment and delivery cost parameters in the selected quantity unit			

3 5
5
8
10
14
19
25
29
32
35
38
41
43
46

Total Price





Total Price [EUR/100 pcs] (Price after reduction steps):

0,0000

These green cell contains the **total price** w/o sum of material surcharges.

After filling in the required information, the total price for the selected quantity of pieces is calculated **automatically**.

This price refers to the **total price after** the agreed **reduction steps** on **peak volume** but **without the sum** on **material surcharges**.

These **surcharges**, which are being **passed directly through**, will be shown in a separate box beneath the total price

Surcharges not incl. in part price [EUR/100 pcs]:

0,0000

Benefits of the Cost Parameter Request	3
General Explanations	5
Structure of the CPR	8
Header	10
Material Costs	14
Manufacturing Costs	19
Setup Costs	25
Product Specific Allocation	29
One-time Payments	32
Overheads	35
Terms of Payment and Delivery	38
Total Price	41
Remarks & Degree of Filling	43
Formulary	46
	General Explanations Structure of the CPR Header Material Costs Manufacturing Costs Setup Costs Product Specific Allocation One-time Payments Overheads Terms of Payment and Delivery Total Price Remarks & Degree of Filling

Remarks





- Additional information can be placed in the "Remarks" Box.
- Furthermore, important background information in line with the corresponding quotation must be mentioned here.
- This section is to be filled by the supplier **ONLY** in English.



In the headlines, the **requested information** is described. They can
not be edited.

These cells need to be filled out by the supplier.

Remarks

Additional information to CPR, given by supplier [only in English]




Degree of Filling





Degree of Filling:



- The degree of filling / quality will be shown here.
- The degree of filling shows us your cost transparency.
- If you do not have any costs you can list in certain fields, please enter "0" in these fields to make sure that you do not negatively affect the degree of filling.

1	Benefits of the Cost Parameter Request	3
2	General Explanations	5
3	Structure of the CPR	8
4	Header	10
5	Material Costs	14
6	Manufacturing Costs	19
7	Setup Costs	25
8	Product Specific Allocation	29
9	One-time Payments	32
LO	Overheads	35
L1	Terms of Payment and Delivery	38
L2	Total Price	41
L3	Remarks & Degree of Filling	43
L4	Formulary	46

Formula - Material Costs

Please click on the formulas to get back to their respective explanation in the user manual.

- 1) Material Cost = (Gross Weight per Part × Material Base Price + Material Base Price × Gross Weight per Part × $\frac{\text{Material Overhead}}{100}$) × Quantity Unit
- 2) Material Cost of Purchased Parts / External Processes = (Quantity × Price + Quantity × Price × $\frac{\text{Material Overhead}}{100}$) × Quantity Unit
- 3) Reimbursement:
 - 1) If Gross Weight per Part > Net Weight per Part: Calculation of Material Costs as shown in Material Costs formula
 - 2) If Gross Weight per Part < Net Weight per Part: Gross Weight per Part is replaced by Net Weight per Part

 \rightarrow (Net Weight per Part × Material Base Price + Material Base Price × Net Weight per Part × $\frac{\text{Material Overhead}}{100}$) × Quantity Unit

Amount is substracted

- 4) Scrap Cost = Material Cost per position × Scrap Rate per position
- 5) Error message: If you fill "Material Price" and "Purchased Parts / External Processes" at once, an error message will appear



Formulary – Manufacturing Costs

Please click on the formulas to get back to their respective explanation in the user manual.

1) Working System Cost per Part =
$$\frac{\text{Working System Hourly Rate}}{3600} \times \frac{\text{Cycle time}}{\text{Parts per Cycle}}$$

2) Headcount at Working System =
$$\frac{\text{Number of Workers}}{\text{Number of Supervised Working Systems}} \times 100$$

3) Labor Cost per Part =
$$\frac{\text{Direct Labor Hourly Rate}}{3600} \times \frac{\text{Headcount at Working System}}{100} \times \frac{\text{Cycle Time}}{\text{Parts Per Cycle}}$$

- 4) Scrap Cost = Manufacturing Step Cost × Scrap Rate
- 5) Manufacturing Step Cost = (Working System Cost per Part + Labor Cost per Part) × $(1 + \frac{\text{Residual Manufacturing Overhead}}{100})$ × Quantity unit

Formulary – Setup Costs & Product Specific Allocation

Please click on the formulas to get back to their respective explanation in the user manual.

Setup Costs

1) Setup Costs¹ = (Setup Labor Hourly Rate + Working System Hourly Rate) × Setup Time

2) Setup Costs² =
$$\frac{\text{Setup Costs}^{1} \times \frac{\text{Residual Manufacturing Overhead}}{100} + \text{Setup Costs}^{1}}{\text{Manufacturing Lot Size}} \times \text{Quantity Unit}$$

Product Specific Allocation

1) Allocation Cost per position = $\frac{\text{Cost}}{\text{Allocation Quantity}} \times \text{Quantity Unit}$

¹without Residual Manufacturing Overheads

²including Residual Manufacturing Overheads



Formulary - Overheads & Terms of Payment and Delivery

Please click on the formulas to get back to their respective explanation in the user manual.

Overheads

- 1) $SG&A = Base 1^1 \times Percentage of SG&A$
- 2) Profit on Material = Base $2^2 \times$ Percentage of Profit on Material
- 3) Profit on Value Add = Base $3^3 \times$ Percentage of Profit on Value Add
- 4) Allocation Costs = Subtotal Allocation Costs

Terms of Payment and Delivery

- 1) Packaging Percentage = $\frac{\text{Packaging Costs}}{\text{Subtotal Production Costs}}$
- 2) Transportation Percentage = $\frac{\text{Transportation Costs}}{\text{Subtotal Production Costs}}$
- 3) Duty Percentage = $\frac{\text{Duty Costs}}{\text{Duty Base}}$

Surchages

Surchages not incl. in part price = Gross Weight per Part x
 Surchage Material Price

¹Base 1: Production Costs

²Base 2: Subtotal Material Costs without sum of Surcharges

³Base 3: Subtotal Manufacturing Costs + Subtotal Setup Costs

Thank you!

Because yesterday we were already thinking about tomorrow.

